

# EFH 10 DC 1p



## Specifications

ETI Code	002540201
Description	EFH 10 DC 1p
Class name	Fuse link base
Rated current (A)	25
To use with	CH gPV fuse-links
Type	EFH 10 DC 1p
Size	10x38
No. Of poles	1
Product group	LV-fuse base
Utilization category	DC 20B
Connection	1 - 25mm <sup>2</sup>
Rated DC voltage (V)	1000
Mounting	35mm DIN rail
Catalogue Group	LV-fuse disconnector
Ambient temperature (°C)	-5 + 40°C
Standards	IEC 60947-1, IEC 60947-3, UL 4248-1, UL 4248-19
Application	Photovoltaic Installation
UL certificate	E356295
0	

[Online product page](#)

## Other documentation



[Technical data catalogue](#)  
[Certificate](#)  
[3D Model](#)  
[Instruction manual](#)  
[CE declaration](#)  
[Eplan file](#)

## ETIM international clasification

Classification	EC002705
Class name	Holder for cylindrical fuse
Rated voltage at DC	1000
Construction size	10x38
Number of knife blade fuse holders	1
Application	Photovoltaic Installation
Nominal rated current	25
Mounting method	Other
For fuse size	10x38 mm
Number of poles	1

## Dimension drawing

